

CL90.1 SINGLE FAST CHARGER L.90



Dimensions: 116 x 95 x 44 mm

Weight: 0,250 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

CVL90.1 SINGLE CHARGER FOR VEHICLE L.90



Dimensions: 116 x 95 x 44 mm

Weight: 0,250 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V/24V

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

CL90.2 CHARGER FOR 2 L.90



Dimensions: 213 x 95 x 44 mm

Weight: 0,480 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz | DC: 12V

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

www.adalit.com

CVL90.2 CHARGER FOR VEHICLE FOR 2 L.90



Dimensions: 213 x 95 x 44 mm

Weight: 0,480 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V/24V

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

CL90.3 CHARGER FOR 3 L.90



Dimensions: 310 x 95 x 44 mm

Weight: 0,710 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

CVL90.3 CHARGER FOR VEHICLE FOR 3 L.90



Dimensions: 310 x 95 x 44 mm

Weight: 0,710 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V/24V

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

www.adalit.com

CL90.5 CHARGER FOR 5 L.90



Dimensions: 504 x 95 x 44 mm

Weight: 1,165 Kg

Marking: CE / E-Mark

Feeding source: AC: 100/240V 50/60 Hz

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

CVL90.5 CHARGER FOR VEHICLE FOR 5 L.90



Dimensions: 504 x 95 x 44 mm

Weight: 1,165 Kg

Marking: CE / E-Mark

Feeding source: DC: 12V/24V

Ingress protection: IP54

Charging status: red LED: charging / green LED: charged

www.adalit.com